



# The Steadings, Cirencester

## Construction Noise Monitoring Report January 2025

20 February 2025

**Client:**

Bathurst Development Limited,  
The Bathurst Estate,  
Cirencester Park,  
Cirencester,  
Gloucestershire,  
GL7 2BU

**Report Ref:**

QA23275/CNMR12

## Document Control



### Document Information

Information	Description
Reference	QA23275/CNMR12

### Document History

Version	Issue Date	Changes
0	20 February 2025	-

### Document Approvals

Role	Name	Signature	Date
Preparation	Harry Gee Assistant Consultant BEng(Hons)		20/02/25
Approval	Paul Gray Director BSc(Hons), MIOA		20/02/25

### For Information

#### Please Note

Quantum Monitoring has prepared this report with generally accepted acoustic consultancy and compliance monitoring principles, using all reasonable skill, care and diligence. This is as per the terms agreed between Quantum Acoustics Ltd (trading as Quantum Monitoring) and our Client. Information referred to herein which may have been provided by third parties should not be assumed to have been checked and verified by Quantum Acoustics Ltd (trading as Quantum Monitoring), unless specifically confirmed to the contrary. Both confidential and commercially sensitive information is contained within this document, and as such it should not be disclosed to third parties. Any third party choosing to rely on this document does so at their own risk.

## Contents

1.0	INTRODUCTION.....	4
2.0	AUTOMATED NOISE MONITORING .....	6
3.0	ATTENDED NOISE MONITORING.....	14
4.0	COMPLAINTS.....	17
5.0	CONCLUSIONS .....	17

### APPENDIX A

Noise Monitoring Results Summary: Noise Monitoring Station 1

### APPENDIX B

Noise Monitoring Results Summary: Noise Monitoring Station 2

## 1.0 INTRODUCTION

- 1.1 Planning Outline planning permission for a new residential development to be known as “The Steadings” was granted by Cotswold District Council (CDC) on 3 April 2019 (CDC planning ref. 16/00054/OUT). The permission included a planning condition (Condition 44) requiring that, prior to development taking place on each phase, a Construction Management Plan (CMP) is submitted to and approved by the LPA. The requirements for the CMP included a requirement for noise mitigation measures.
- 1.2 A CMP in relation to works related to Parcels 2a, 2b & 2c (including the primary enhanced street east Section 38 works and associated drainage & earthworks; and the public open space (POS) landscaping) was submitted to the councils and the discharge of Condition 44 in relation to the proposed works confirmed by the LPA’s decision notice dated 26 January 2024 (CDC planning ref. 23/00458/COMPLY).
- 1.3 The CMP included a “*Noise and Vibration Management Plan*” (NVMP) prepared by Quantum Acoustics Limited. This plan outlined the way in which noise and vibration associated with the proposed works would be managed and controlled.
- 1.4 In addition to providing general guidance on working methodologies and management controls, the NVMP set out a regime of noise monitoring that would enable noise levels associated with the construction activities to be pro-actively monitored and enable appropriate mitigation or abatement actions to be taken if noise levels exceeded a set of prescribed noise level trigger thresholds.
- 1.5 The proposed monitoring regime included the installation of two fully automated noise monitoring stations. These monitoring stations were installed on 24 and 31 January 2024 and have been fully operational since these dates.
- 1.6 In addition to the automated monitoring systems, the NVMP also proposed monthly attended site visits, during which additional attended measurements would be undertaken at five additional receptor locations around the boundaries of the wider consent site. The purpose of these measurements is to assist in identifying any potential for adverse noise impacts to off-site receptors. This responded directly to concerns raised by the LPA during the consultation period for the determination of Condition 44.
- 1.7 Bathurst Development Limited has instructed Quantum Acoustics Limited to manage the installed automated noise monitoring equipment and undertake attended noise monitoring and reporting.

- 1.8 This report presents the results of the automated noise monitoring for the period from 1 January to 31 January 2025 and the results of attended noise monitoring undertaken on 14 January 2025.
- 1.9 The report has been prepared by Quantum Monitoring, a specialist compliance monitoring team within Quantum Acoustics Limited.
- 1.10 An explanation of the acoustic terminology used in this report is set out below:
- **dB**  
Sound is measured in a logarithmic unit known as “decibels”. This is written in short-hand as “dB”.
  - **A-Weighting**  
The human ear is typically more sensitive to sound in towards the middle of the audible range and less sensitive to lower and higher and frequencies. In order to take account of these differences, a frequency weighting is often applied to the sound measurement which adjusts the measurement value to reflect the way the human ear will perceive the sound. The use of “A-weighting” therefore gives a measure of subjective “loudness”. A-weighted sound levels are expressed in dB(A).
  - **$L_{eq}$**   
This is the level of a notional continuous sound that would deliver the same sound energy as the actual fluctuating sound over the measurement period. This may be thought of as the “average” level during the measurement period. The A-weighted value over time period (T) is written as  $L_{Aeq,T}$ .
  - **$L_{max}$**   
This is the maximum noise level during the measurement period. For environmental noise purposes,  $L_{max}$  values are normally measured with a “fast” time response. The A-weighted value is then reported as  $L_{Amax,fast}$ .
  - **$L_{90}$**   
This is the noise levels that is exceeded for 90% of the measurement period. It reflects the quiet periods during that time and is often referred to as the “background noise level”. The A-weighted value over time period (T) is written as  $L_{A90,T}$ .
  - **$L_{10}$**   
This is the noise levels that is exceeded for 10% of the measurement period. It typically provides a measured of the human response to traffic noise. The A-weighted value over time period (T) is written as  $L_{A10,T}$ .

## 2.0 AUTOMATED NOISE MONITORING

### Monitoring Locations

- 2.1. Automated noise monitoring equipment has been installed at two locations on the northern boundary of the site as shown in Figure 2.1 below.

Figure 2.1: Automated Noise Monitoring Locations



Position	Co-ordinates	
	Easting	Northing
1	402344.172	200286.273
2	402129.951	200353.453

- 2.2. The monitoring equipment at Position 1 was installed on 24 January 2024.
- 2.3. The monitoring equipment at Position 2 was installed on 31 January 2024.
- 2.4. The equipment is pole mounted and solar powered, as shown in Figure 2.2.

Figure 2.2: Automated Monitoring Equipment Installed at Position 1 (Position 2 Identical)



## Equipment Specification

- 2.5. The monitoring installation comprises a Type 1 (precision grade) sound level analyser conforming to BS EN 61672-1-2013. A full, detailed specification for the equipment is included at Appendix B of the NVMP approved by CDC permission 23/00458/COMPLY.
- 2.6. The equipment is fully autonomous and is solar powered with a rechargeable battery back-up supply. At the time of installation, the equipment was calibrated using a handheld acoustic calibrator (Rion Type NC-74, serial no. 34651766, conforming to BS EN 60942: 2003, Class 1) and the equipment is configured to automatically perform charge injection calibration each morning to verify the performance of the system.
- 2.7. The equipment is 4G enabled enabling data to be transmitted to a cloud-based storage and data viewing platform.

## Equipment Configuration

- 2.8. Both noise monitoring stations are configured to monitor noise levels over sequential 15-minute periods ( $L_{Aeq,15mins}$ ). The data is automatically uploaded to a web server to enable remote access by the Contractor/Client/Consultant. The equipment is also configured to provide high resolution logging of "fast" (0.125 second time constant) sound pressure levels; one third octave band frequency spectra and triggered audio recording when prescribed threshold conditions are met. These additional data assist the forensic analysis of measured noise levels in the event of queries or concerns.

## Noise Limits

- 2.9. The noise limits approved by the CMP and NVMP are:
  - On weekdays, noise level from "*Noisy Works*" on the site shall not exceed a daily level of 70dB  $L_{Aeq,10hours}$ ;
  - On Saturdays, noise levels from "*Noisy Works*" shall not exceed 60dB  $L_{Aeq,1hour}$ ; and
  - Outside "Permitted Hours" noise levels from activities within the site shall not exceed 50dB  $L_{Aeq,1hour}$ .
- 2.10. For the purpose of the above:
  - "*Noisy Works*" are defined as activities likely to generate a sound level greater than 50dB(A).


- "Permitted Hours" are defined as the periods of 08.00 to 18.00 hours Monday to Friday and 09.00 to 12.30 hours on Saturdays.
- No noisy works are permitted at any other time, including Sundays and Bank Holidays.

### Alert Protocols


- 2.11. The approved NVMP identifies that the automated noise monitoring equipment will issue email "alerts" when certain threshold trigger values are meant. This is achieved by a combination of "AMBER" and "RED" alerts
- 2.12. **AMBER ALERTS** are triggered when the  $L_{Aeq,15mins}$  value exceeds a target level of 67dB  $L_{Aeq,15mins}$  (Monday to Friday) and 57 dB  $L_{Aeq,1 hour}$  (Saturday) (during permitted hours).

Figure 2.3: Summary of Amber Alert Triggering

#### Monitoring Station 1



#### Monitoring Station 2




2.13. The above profiles show two amber alerts (on 27th and 28th January 2025).


2.14. **RED ALERTS** are triggered when the  $L_{Aeq,1\text{ hour}}$  value exceeds a target level of 70dB  $L_{Aeq,1\text{ hour}}$  (Monday to Friday) and 60 dB  $L_{Aeq,1\text{ hour}}$  (Saturday) (during permitted hours).

Figure 2.4: Summary of Red Alert Triggering

Monitoring Station 1



Monitoring Station 2



2.15. The above shows that the events triggering amber alerts on 27<sup>th</sup> and 28<sup>th</sup> were of a sufficient magnitude to also exceed the red alert threshold.

Contractor Response

2.16. On receipt of an amber alert the Contractor has been instructed to consider current working methods/activities to ensure that BPM are being effectively implemented and take any further action that may be practicable to reduce noise levels. The receipt of a number of repeated amber

alerts represents an increased risk that the noise limits ( $L_{Aeq,10hour}$  /  $L_{Aeq,1hour}$ ) for the works will be exceeded.

- 2.17. On receipt of a red alert, the Contractor has been instructed to immediately cease the work in hand and review working methodologies. If it is concluded that no alternative options/noise mitigation for completing the work tasks are available, the Contractor shall liaise with the Local Authority and local residents/occupants to develop a programme for undertaking the works. If the duration of any “noisy” work is likely to be protracted, the programme should allow for “quiet” periods, to allow some respite from the works.
- 2.18. It is important to note that the issuance of an amber or red alert does not automatically mean that prescribed noise limits have been exceeded (particularly in the case of weekday values where the limit is prescribed over the full duration of the permitted operating hours). Similarly, the exceedance of a noise threshold, should not be taken to infer that a significant adverse impact, effect or nuisance has occurred. In practice, a significant exceedance (3-5dB(A) is routinely seen as changing the magnitude and significance of effect). Notwithstanding the use of noise monitoring provides a helpful and complementary means of identifying where additional attention should be focussed on particular activities having an increased level of noise generation, even following the implementation of the more fundamental management, process and engineering controls implemented by the Contractor / their Sub-Contractors.
- 2.19. The alert triggered on the 27<sup>th</sup> January occurred during the early hours of the morning when the site was not operational. Whilst the alert on the 28<sup>th</sup> occurred when the site was active, the alert did not correspond with any site activity generating high noise levels (as supported by the fact that the alert was observed at MP1 only). Further investigations of the measurement data suggest that the “spikes observed were likely to be caused by internally generated electrical noise, possibly moisture related. Whilst the equipment is subject to a daily automated remote calibration check (which confirmed system compliance) and additional field calibration check was undertaken in a subsequent visit which also confirmed the satisfactory operation of the system. As such, the events are considered to be “false” alerts and not related to site activities.

### Noise Monitoring Results

- 2.20. The detailed results from Monitoring Station 1 for the complete monitoring period are presented in Appendix A. The results from Monitoring Station 2 are presented in Appendix B.
- 2.21. The data has been analysed to determine the measured  $L_{Aeq,10\text{ hour}}$  sound levels (for permitted weekday working hours) and  $L_{Aeq,4.5\text{ hours}}$  sound levels (for permitted Saturday working hours). The worst case  $L_{Aeq,15\text{ minute}}$  sound levels (for permitted weekday and Saturday working hours) has also been assessed. The results are presented in Tables 2.1 and 2.2 below and overleaf. The tables

also conclude whether the measured comply with the noise limits set out in the approved CMP approved (and Noise and Vibration Management contained within).

Table 2.1: Measured Noise Levels: Monitoring Station 1

Date	Day of Week	Measured $L_{Aeq,10hour}$ (dB)	Worst Case Measured $L_{Aeq,1hour}$ (dB)	Compliance with Approved Noise Limit?
w/c 30 December 2024				
01/01/2025	Wednesday	50.6	57.7	✓
02/01/2025	Thursday	44.1	46.8	✓
03/01/2025	Friday	45.5	49.5	✓
04/01/2025	Saturday	44.6	48.3	✓
w/c 06 January 2025				
06/01/2025	Monday	48.3	55.2	✓
07/01/2025	Tuesday	51.0	60.4	✓
08/01/2025	Wednesday	50.3	57.4	✓
09/01/2025	Thursday	53.6	62.2	✓
10/01/2025	Friday	51.1	58.7	✓
11/01/2025	Saturday	43.6	47.4	✓
w/c 13 January 2025				
13/01/2025	Monday	51.7	56.5	✓
14/01/2025	Tuesday	53.0	61.8	✓
15/01/2025	Wednesday	55.0	62.7	✓
16/01/2025	Thursday	49.8	57.7	✓
17/01/2025	Friday	51.9	60.2	✓
18/01/2025	Saturday	42.5	47.7	✓
w/c 20 January 2025				
20/01/2025	Monday	47.2	54.3	✓
21/01/2025	Tuesday	47.6	54.8	✓
22/01/2025	Wednesday	54.2	60.1	✓
23/01/2025	Thursday	53.9	59.9	✓
24/01/2025	Friday	57.3	61.8	✓
25/01/2025	Saturday	45.0	49.4	✓
w/c 27 January 2025				
27/01/2025	Monday	55.6	61.0	✓
28/01/2025	Tuesday	47.7	52.2	✓
29/01/2025	Wednesday	49.1	56.9	✓
30/01/2025	Thursday	50.2	59.9	✓
31/01/2025	Friday	52.7	57.0	✓

Table 2.2: Measured Noise Levels: Monitoring Station 2

Date	Day of Week	Measured L <sub>Aeq,10hour</sub> (dB)	Worst Case Measured L <sub>Aeq,1hour</sub> (dB)	Compliance with Approved Noise Limit?
w/c 30 December 2024				
01/01/2025	Wednesday	48.7	55.8	✓
02/01/2025	Thursday	45.8	48.5	✓
03/01/2025	Friday	45.9	49.2	✓
04/01/2025	Saturday	46.8	51.1	✓
w/c 06 January 2025				
06/01/2025	Monday	49.0	53.9	✓
07/01/2025	Tuesday	48.9	55.5	✓
08/01/2025	Wednesday	49.2	54.9	✓
09/01/2025	Thursday	49.0	56.9	✓
10/01/2025	Friday	50.8	59.7	✓
11/01/2025	Saturday	44.8	48.5	✓
w/c 13 January 2025				
13/01/2025	Monday	50.8	56.4	✓
14/01/2025	Tuesday	50.6	56.1	✓
15/01/2025	Wednesday	51.1	54.9	✓
16/01/2025	Thursday	49.3	53.9	✓
17/01/2025	Friday	50.0	55.0	✓
18/01/2025	Saturday	45.4	49.1	✓
w/c 20 January 2025				
20/01/2025	Monday	47.9	54.1	✓
21/01/2025	Tuesday	47.6	52.2	✓
22/01/2025	Wednesday	51.4	57.1	✓
23/01/2025	Thursday	51.5	58.8	✓
24/01/2025	Friday	53.6	58.1	✓
25/01/2025	Saturday	46.7	50.4	✓
w/c 27 January 2025				
27/01/2025	Monday	55.3	63.1	✓
28/01/2025	Tuesday	50.1	59.6	✓
29/01/2025	Wednesday	49.4	54.8	✓
30/01/2025	Thursday	48.1	54.2	✓
31/01/2025	Friday	49.6	58.9	✓

2.22. There was full compliance with the agreed operational noise limits.

### 3.0 ATTENDED NOISE MONITORING

- 3.1. Noise measurements were made during a site attendance between 11:00 and 15:00 on 14 January 2025.
- 3.2. Noise levels were monitored at five locations (approved by the CMP), as shown in Figure 3.1 below:

Figure 3.1: Attended Noise Monitoring Locations



Position	Co-ordinates	
	Easting	Northing
A	401926.01	200521.2
B	401806.79	200367.19
C	402463.12	200151.81
D	402197.85	199947.19
E	401949.45	199938.57

- 3.3. Sample 15-minute measurements of the  $L_{Aeq,T}$ ,  $L_{Amax,fast}$ ,  $L_{A10,T}$  and  $L_{A90,T}$  noise metrics were made during a notional three-hour site attendance, in general accordance with ISO 1996-2: 2017: "Acoustics - Description, measurement and assessment of environmental noise - Part 2: Determination of sound pressure levels".

### Instrumentation

- 3.4. The instrumentation used for the survey is detailed in Table 3.1 below.

Table 3.1: Measurement Instrumentation

Equipment	Manufacturer	Type	Serial Number
Sound Level Meter	Svantek	SV971A	143557
Calibrator	Rion	NC74	34651766

- 3.5. The sound level analyser was calibrated prior to the survey and checked upon completion. No drift in calibration was observed.
- 3.6. All equipment is laboratory calibrated to traceable national standards. Calibration certificates are available on request.

### Results

- 3.7. The following noise levels were measured:

Table 3.2: Noise Measurement Results

Measurement Location	Measured Sound Level, dB(A)				
	Time	$L_{Amax,fast}$	$L_{Aeq,15mins}$	$L_{A10,15mins}$	$L_{A90,15mins}$
A	12:12-12:27	65.2	47.1	49.7	40.7
B	12:32-12:47	77.2	43.4	44.1	36.7
C	11:15-11:30	73.4	56.4	61.4	47.9
D	13:19-13:34	68.2	40.8	41.6	37.3
E	12:59-13:14	71.7	51.4	50.0	40.0

## Discussion

- 3.8. Noise levels observed at location A were predominately due to general environmental noise including distant traffic noise.
- 3.9. Noise levels observed at location B were predominantly due to local traffic noise and wildlife (birdsong).
- 3.10. Construction activities were audible at Position C, with measured noise levels also influenced by traffic noise from Spratsgate Lane.
- 3.11. Construction noise was also audible at Position D, with measured sound levels also influenced by wildlife and the “buzzing” of the overhead electricity pylons.
- 3.12. Distant traffic noise was audible at Position E, with construction related activity audible in the distance.

## Weather

- 3.13. The conditions were deemed suitable for the measurement of construction noise.

## Conclusions

- 3.14. The results of the attended monitoring indicate that measured noise levels at all satellite measurement locations are acceptable and compatible with the approved construction noise limit approved by the CMP/NVMP. It is therefore reasonable to conclude that current construction activities are well managed and are unlikely to cause noise disturbance or justifiable complaint from any off-site noise sensitive receptors. This conclusion is further reinforced by the results of the automated noise monitoring stations which are in closer proximity to the works currently in hand and which also demonstrate full compliance with the approved noise limits. It is therefore concluded that no additional mitigation is deemed necessary at this time.

## 4.0 COMPLAINTS

- 4.1. In addition to the monitoring of noise levels, the approved CMP and Noise and Vibration Management Plan set out a protocol for dealing with any complaints relating to the potential environmental impacts of the construction works, including noise.
- 4.2. During the monitoring period covered by this report, no noise complaints were communicated to Quantum Monitoring.

## 5.0 CONCLUSIONS

- 5.1. The results of the automated monitoring of construction noise for the period 1 January 2025 to 31 January 2025 are presented and assessed.
- 5.2. The measurement data shows no exceedances of the daily noise limit approved in the CMP/NVMP.
- 5.3. Whilst two amber "amber" and "red" alerts were triggered during the monitoring period, investigation indicates that these relate to extraneous events, unassociated with actual construction activity.
- 5.4. The results of attended noise measurements are also presented. These conclude that noise levels measured at all satellite measurement locations are acceptable and in line with the approved construction noise target.
- 5.5. No formal complaints were reported to Quantum Monitoring during the monitoring period covered by this report.
- 5.6. It is therefore concluded that construction noise is being effectively managed and controlled in line with the CMP and Noise and Vibration Management Plan, safeguarding the amenity of the site's immediate residential neighbours to the north (monitored by the two automated noise monitoring stations) and to more distant off-site noise sensitive receptors.
- 5.7. The results of the monitoring do not indicate the need for any additional mitigation at this time.

# Appendix A

Automated Noise Monitoring Results  
Monitoring Station 1

# The Steadings, Cirencester

## Measurement Position 1

Week Commencing: 30 December 2024



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	30/12/2024	31/12/2024	01/01/2025	02/01/2025	03/01/2025	04/01/2025	05/01/2025
07:00	-	-	61.2	45.4	40.7	43.1	40.4
07:15	-	-	58.2	48.1	43.8	39.3	37.8
07:30	-	-	57.5	46.7	42.9	39.1	40.0
07:45	-	-	57.6	47.2	43.7	40.9	40.2
08:00	-	-	57.7	46.2	44.3	40.1	46.6
08:15	-	-	57.6	46.8	45.1	42.0	42.7
08:30	-	-	57.1	45.1	44.5	42.6	42.5
08:45	-	-	54.8	44.5	44.6	43.8	47.0
09:00	-	-	56.4	45.6	45.1	45.3	44.5
09:15	-	-	52.6	45.1	45.4	44.6	43.9
09:30	-	-	55.8	45.6	45.3	44.2	44.6
09:45	-	-	51.1	44.9	46.9	44.8	45.2
10:00	-	-	50.1	44.9	46.4	45.3	45.2
10:15	-	-	49.4	45.0	48.3	44.1	46.6
10:30	-	-	47.6	43.9	45.8	46.0	48.3
10:45	-	-	51.6	43.7	44.3	44.4	46.5
11:00	-	-	47.9	45.9	45.5	45.1	46.6
11:15	-	-	49.0	43.7	44.1	45.2	46.6
11:30	-	-	48.7	41.6	43.4	44.8	46.9
11:45	-	-	49.3	42.4	43.0	45.0	48.5
12:00	-	-	47.8	41.8	45.1	45.8	46.2
12:15	-	-	45.9	42.6	49.5	45.8	45.1
12:30	-	-	46.0	44.8	43.9	44.8	47.4
12:45	-	-	46.3	43.5	42.1	45.3	48.3
13:00	-	-	46.7	44.9	44.9	46.9	44.5
13:15	-	-	45.0	44.5	42.5	44.7	45.2
13:30	-	-	47.8	41.9	44.4	44.6	45.2
13:45	-	-	44.8	45.9	45.2	45.3	45.2
14:00	-	-	45.1	43.3	44.4	45.2	46.2
14:15	-	-	47.0	43.5	38.8	44.6	45.8
14:30	-	-	46.0	42.5	42.2	45.3	46.4
14:45	-	-	44.7	44.0	46.4	45.7	46.5
15:00	-	-	46.0	43.8	45.8	46.2	47.1
15:15	-	-	45.5	42.0	47.1	46.0	44.9
15:30	-	-	47.7	41.8	42.4	46.0	47.4
15:45	-	-	47.0	41.9	47.5	47.2	47.9
16:00	-	-	43.2	44.4	46.3	45.0	47.4
16:15	-	-	43.6	43.9	45.8	45.6	47.4
16:30	-	-	42.7	44.5	46.9	48.3	46.3
16:45	-	-	42.4	43.1	46.7	45.5	45.4
17:00	-	-	41.6	43.3	46.3	47.1	45.4
17:15	-	-	39.9	44.0	45.8	46.0	49.4
17:30	-	-	41.3	43.6	47.6	48.0	46.4
17:45	-	-	40.9	43.1	46.1	44.0	46.6
18:00	-	-	40.2	43.3	45.6	44.2	46.4
18:15	-	-	39.1	43.9	45.6	43.4	46.8
18:30	-	-	39.4	43.2	43.3	44.4	46.3
18:45	-	-	39.2	43.4	42.2	44.1	45.1
<b>L<sub>Aeq,10hour</sub></b>	-	-	<b>50.6</b>	<b>44.1</b>	<b>45.5</b>	<b>44.6</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	-	-	<b>57.7</b>	<b>46.8</b>	<b>49.5</b>	<b>48.3</b>	<b>49.4</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 1

Week Commencing: 06 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	06/01/2025	07/01/2025	08/01/2025	09/01/2025	10/01/2025	11/01/2025	12/01/2025
07:00	45.6	43.2	45.8	46.8	44.3	42.3	33.5
07:15	47.2	45.0	47.6	46.4	45.4	44.4	39.1
07:30	48.7	45.2	49.1	46.2	46.2	44.6	37.6
07:45	47.8	46.1	48.7	46.9	46.9	44.9	40.0
08:00	48.0	48.0	48.5	47.6	47.8	44.4	42.6
08:15	49.5	49.1	48.5	50.9	49.5	44.6	40.2
08:30	48.8	48.6	49.5	53.1	50.9	46.3	43.1
08:45	47.6	45.8	49.7	57.8	51.0	45.7	41.2
09:00	48.6	47.1	50.9	49.5	51.2	44.4	40.6
09:15	48.6	47.6	49.8	49.7	49.3	43.1	41.6
09:30	46.5	51.9	49.4	47.0	49.4	43.9	43.0
09:45	47.6	49.8	48.0	48.9	49.0	44.9	44.6
10:00	47.5	48.3	48.3	48.7	50.4	43.0	43.9
10:15	50.1	45.2	49.0	50.9	50.9	42.7	44.5
10:30	49.7	46.1	46.9	47.5	46.3	41.7	43.1
10:45	47.5	48.2	48.3	47.1	46.3	43.3	45.8
11:00	49.2	48.6	52.7	48.1	45.9	42.6	44.3
11:15	48.6	48.8	50.4	47.0	47.8	42.7	44.1
11:30	47.9	49.5	47.5	54.2	47.4	42.2	43.6
11:45	55.2	48.5	50.9	48.3	51.5	41.2	44.6
12:00	43.5	50.1	48.1	44.9	45.1	42.5	44.6
12:15	45.3	44.9	48.5	46.5	45.9	44.0	44.1
12:30	43.5	46.6	47.8	43.4	49.5	41.6	43.4
12:45	43.9	50.4	48.5	55.3	53.9	43.2	42.5
13:00	48.2	44.6	47.4	54.3	56.7	43.0	43.4
13:15	47.6	44.7	48.7	45.2	47.3	42.1	43.3
13:30	46.1	45.3	50.7	50.0	58.7	43.7	45.9
13:45	49.6	45.8	51.4	47.7	48.6	43.9	42.4
14:00	49.5	48.2	51.8	44.8	50.8	44.8	43.4
14:15	48.8	49.2	50.7	44.2	50.8	43.1	43.9
14:30	44.6	47.4	49.3	54.3	52.8	42.9	44.2
14:45	45.6	52.8	48.6	62.2	57.2	42.5	44.0
15:00	44.7	53.7	52.6	61.9	57.1	44.2	45.3
15:15	43.9	59.5	56.0	60.8	50.7	44.0	43.9
15:30	46.3	60.4	57.4	59.7	47.4	43.5	44.2
15:45	49.0	57.1	52.8	47.8	47.7	44.2	44.1
16:00	49.3	48.9	49.4	48.6	47.1	45.9	44.6
16:15	47.6	45.5	47.7	46.6	46.0	45.6	45.8
16:30	46.2	45.6	47.8	46.4	45.9	47.4	43.8
16:45	46.4	45.2	47.7	45.9	45.0	47.1	41.5
17:00	47.9	46.7	46.6	48.9	45.5	44.9	42.4
17:15	49.9	48.2	45.1	48.7	44.8	43.8	43.0
17:30	49.4	46.9	46.3	47.8	44.7	44.0	42.3
17:45	46.5	45.7	44.0	45.7	44.1	44.2	43.6
18:00	45.9	46.3	43.0	46.3	45.4	41.9	43.8
18:15	43.1	45.8	42.3	44.8	45.6	42.5	43.0
18:30	43.3	44.9	42.5	45.3	45.3	41.6	43.4
18:45	43.1	43.5	42.9	42.2	43.9	40.4	42.3
<b>L<sub>Aeq,10hour</sub></b>	<b>48.3</b>	<b>51.0</b>	<b>50.3</b>	<b>53.6</b>	<b>51.1</b>	<b>43.6</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>55.2</b>	<b>60.4</b>	<b>57.4</b>	<b>62.2</b>	<b>58.7</b>	<b>47.4</b>	<b>45.9</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 1

Week Commencing: 13 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	13/01/2025	14/01/2025	15/01/2025	16/01/2025	17/01/2025	18/01/2025	19/01/2025
07:00	47.1	44.1	57.3	56.0	49.0	41.4	42.6
07:15	47.3	46.5	59.8	47.5	48.9	41.9	44.0
07:30	47.9	49.1	58.4	50.4	51.2	43.1	42.8
07:45	49.5	51.6	48.8	52.2	51.6	44.6	43.6
08:00	53.0	55.4	51.5	46.4	50.2	47.7	44.0
08:15	52.1	51.1	49.7	51.2	49.3	44.5	48.5
08:30	52.6	52.3	58.7	47.9	49.0	44.5	44.3
08:45	53.0	49.8	57.7	51.7	49.0	42.3	43.1
09:00	53.4	55.6	61.3	51.4	47.4	42.3	42.5
09:15	51.0	54.8	59.8	53.7	50.9	43.9	42.9
09:30	50.9	54.1	61.2	54.9	48.0	44.1	43.5
09:45	49.9	52.1	60.8	43.0	51.0	41.7	44.8
10:00	49.5	51.0	56.1	43.5	45.3	39.3	43.7
10:15	50.8	51.8	52.5	47.1	46.0	39.2	43.1
10:30	52.3	50.9	60.1	47.7	46.4	39.7	42.7
10:45	53.6	54.8	54.7	46.7	51.5	41.0	43.3
11:00	55.3	56.0	53.2	47.4	52.6	38.6	44.2
11:15	53.4	52.4	49.1	45.5	52.4	38.0	42.3
11:30	51.9	57.6	62.7	48.9	56.1	39.3	42.2
11:45	49.7	61.8	56.8	48.6	46.9	46.8	44.0
12:00	50.0	58.3	49.6	57.7	59.9	38.4	47.5
12:15	52.0	53.9	54.5	56.9	54.4	38.4	42.2
12:30	52.8	54.9	52.1	47.5	54.4	39.7	40.3
12:45	56.1	57.5	55.1	48.2	57.2	38.0	42.3
13:00	54.5	56.1	51.9	51.8	60.2	39.6	41.9
13:15	53.0	53.1	48.9	53.3	56.8	36.0	42.6
13:30	49.3	48.7	52.6	47.0	55.5	40.2	42.4
13:45	50.0	46.4	47.2	47.2	50.7	40.1	43.0
14:00	49.5	47.4	47.9	47.3	46.4	40.4	42.5
14:15	49.1	46.1	49.5	48.0	45.5	40.2	41.9
14:30	56.5	45.1	49.2	47.8	46.2	40.0	42.5
14:45	53.1	44.1	46.8	48.8	45.3	42.5	39.5
15:00	51.1	45.6	45.9	47.9	45.6	40.9	39.4
15:15	48.4	43.8	45.0	46.4	43.9	39.5	38.5
15:30	49.3	45.9	44.6	47.2	44.1	39.8	38.6
15:45	50.0	42.3	44.1	45.6	44.7	38.5	39.9
16:00	50.1	40.7	42.3	44.9	42.8	39.8	39.6
16:15	48.7	41.4	42.1	45.1	42.8	38.9	38.8
16:30	48.0	40.3	41.0	44.1	41.1	40.5	39.2
16:45	47.0	39.6	39.5	43.0	41.6	39.3	35.6
17:00	48.8	41.1	38.7	43.8	42.4	40.8	36.8
17:15	46.9	40.6	39.1	44.5	41.0	39.7	36.9
17:30	47.3	38.5	39.0	43.6	39.4	38.8	35.1
17:45	46.6	35.4	38.6	43.5	35.2	36.0	34.5
18:00	44.2	36.6	39.0	41.2	37.6	37.3	35.2
18:15	46.9	36.4	38.6	41.0	39.1	36.8	35.9
18:30	43.3	36.0	37.0	40.7	38.5	38.9	33.4
18:45	43.4	35.1	37.0	41.1	39.6	36.7	32.8
<b>L<sub>Aeq,10hour</sub></b>	<b>51.7</b>	<b>53.0</b>	<b>55.0</b>	<b>49.8</b>	<b>51.9</b>	<b>42.5</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>56.5</b>	<b>61.8</b>	<b>62.7</b>	<b>57.7</b>	<b>60.2</b>	<b>47.7</b>	<b>48.5</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 1

Week Commencing: 20 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	20/01/2025	21/01/2025	22/01/2025	23/01/2025	24/01/2025	25/01/2025	26/01/2025
07:00	45.6	49.9	58.5	56.7	58.0	47.1	49.2
07:15	46.2	44.8	49.6	53.8	58.6	45.9	49.5
07:30	46.9	47.8	48.5	53.5	60.5	46.8	49.7
07:45	48.0	47.2	57.2	51.2	60.2	46.4	49.8
08:00	43.5	47.4	50.4	49.6	59.8	45.4	51.4
08:15	43.4	46.9	57.7	56.4	61.8	45.8	51.6
08:30	43.2	47.5	52.5	56.4	61.5	45.9	55.6
08:45	52.4	47.2	54.5	53.5	61.0	45.2	56.1
09:00	50.4	50.7	53.5	52.3	59.1	44.2	56.4
09:15	44.1	46.0	58.4	50.2	60.2	45.0	55.2
09:30	43.2	44.2	57.6	52.5	61.7	45.3	54.7
09:45	43.1	46.0	58.8	55.4	60.5	45.5	55.6
10:00	43.8	44.3	55.7	54.3	59.0	44.5	54.1
10:15	44.4	45.7	50.0	56.3	58.2	46.7	55.0
10:30	45.0	45.2	58.1	59.9	60.6	47.2	55.2
10:45	47.2	44.6	51.9	57.1	61.3	43.8	56.2
11:00	49.1	51.4	58.8	56.5	60.7	43.4	55.5
11:15	45.7	48.5	57.5	53.0	61.5	43.6	56.3
11:30	46.0	46.6	60.1	52.3	61.2	44.5	52.9
11:45	45.8	47.8	54.5	59.9	58.6	44.0	54.8
12:00	46.3	48.7	56.4	59.5	56.5	46.0	52.4
12:15	46.2	50.9	55.8	55.1	55.1	43.8	55.4
12:30	45.4	49.9	55.2	55.5	58.0	43.6	53.8
12:45	46.4	53.1	56.8	58.3	56.4	43.6	56.9
13:00	53.7	54.8	56.1	55.3	54.9	44.0	51.0
13:15	47.8	49.2	56.7	55.0	53.4	48.9	47.9
13:30	54.3	48.6	54.4	51.4	50.6	45.7	47.7
13:45	52.8	46.2	48.7	51.5	51.3	44.6	47.7
14:00	47.0	47.4	49.3	50.6	46.8	49.4	48.5
14:15	47.4	46.7	42.3	46.9	46.0	47.0	48.3
14:30	47.0	45.1	41.6	47.4	46.7	46.8	48.8
14:45	46.1	43.7	41.9	45.8	46.6	46.7	47.0
15:00	46.9	45.4	42.1	46.6	48.6	46.8	44.4
15:15	44.8	44.6	43.2	50.3	47.0	47.3	44.7
15:30	44.8	45.0	43.5	46.1	45.3	44.5	43.7
15:45	41.6	44.4	42.3	46.3	44.8	45.6	43.1
16:00	40.9	43.6	42.9	45.2	45.4	44.5	45.1
16:15	42.1	43.9	41.7	44.2	44.4	47.2	46.5
16:30	41.7	46.1	41.1	42.5	44.7	43.5	43.8
16:45	40.6	41.6	41.5	44.4	44.6	43.1	43.1
17:00	41.1	40.1	41.1	45.2	43.5	43.1	43.8
17:15	38.4	40.0	40.8	43.4	45.2	42.3	41.2
17:30	40.8	40.5	46.4	43.1	42.2	44.2	41.5
17:45	38.9	39.3	41.4	44.9	44.2	41.6	46.0
18:00	37.1	39.2	41.4	42.3	42.1	40.3	50.2
18:15	38.1	38.6	42.4	41.9	44.0	41.8	46.1
18:30	38.6	37.4	39.3	41.8	42.2	42.2	48.6
18:45	36.8	36.9	41.3	42.9	41.6	42.1	51.0
<b>L<sub>Aeq,10hour</sub></b>	<b>47.2</b>	<b>47.6</b>	<b>54.2</b>	<b>53.9</b>	<b>57.3</b>	<b>45.0</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>54.3</b>	<b>54.8</b>	<b>60.1</b>	<b>59.9</b>	<b>61.8</b>	<b>49.4</b>	<b>56.9</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 1

Week Commencing: 27 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	27/01/2025	28/01/2025	29/01/2025	30/01/2025	31/01/2025	01/02/2025	02/02/2025
07:00	50.7	58.5	54.7	49.2	46.2	40.5	-
07:15	54.2	54.7	53.4	49.2	47.4	45.7	-
07:30	52.5	54.2	52.2	51.0	49.0	46.3	-
07:45	53.0	52.5	52.7	49.4	49.8	41.5	-
08:00	55.5	51.6	52.7	52.8	50.6	46.8	-
08:15	54.7	51.3	46.8	48.0	52.1	42.5	-
08:30	56.2	49.5	47.9	47.9	54.0	45.2	-
08:45	56.9	48.2	48.5	48.4	53.9	44.8	-
09:00	54.5	47.6	49.1	48.9	54.1	49.4	-
09:15	53.4	48.9	47.9	48.5	55.5	48.2	-
09:30	52.0	46.7	48.0	49.3	54.1	47.0	-
09:45	54.2	49.1	50.7	51.3	54.2	46.3	-
10:00	59.3	46.3	51.9	51.1	54.8	46.9	-
10:15	60.6	48.1	49.3	55.6	52.9	46.6	-
10:30	61.0	49.2	49.1	52.3	54.0	48.2	-
10:45	57.9	47.9	48.8	49.3	56.0	47.0	-
11:00	54.6	45.6	48.4	54.7	55.4	47.1	-
11:15	56.2	50.8	49.6	59.9	57.0	46.5	-
11:30	59.8	47.1	49.1	54.7	55.9	48.1	-
11:45	57.2	47.9	51.2	49.7	56.4	46.7	-
12:00	55.4	47.5	52.8	48.4	53.5	46.1	-
12:15	58.3	45.7	51.5	44.2	52.8	48.4	-
12:30	57.8	45.9	50.0	48.4	52.1	47.0	-
12:45	53.4	46.7	50.8	48.4	50.2	46.5	-
13:00	51.2	48.9	56.9	45.6	49.2	46.2	-
13:15	56.0	52.2	49.0	45.3	49.4	47.1	-
13:30	55.4	48.8	45.7	46.3	50.0	48.0	-
13:45	53.2	46.4	45.6	45.9	49.5	46.0	-
14:00	50.8	46.4	45.4	48.3	49.1	45.7	-
14:15	50.4	51.1	46.7	51.0	48.8	45.0	-
14:30	51.5	51.3	51.0	47.2	52.7	46.4	-
14:45	59.0	44.3	47.6	47.2	47.7	45.5	-
15:00	51.5	44.8	46.4	44.3	49.0	46.8	-
15:15	49.4	46.4	45.4	43.9	49.3	46.5	-
15:30	48.3	45.0	44.7	42.8	52.7	46.4	-
15:45	50.1	44.0	44.8	45.2	49.2	46.8	-
16:00	51.0	41.7	44.3	47.0	55.2	46.2	-
16:15	52.9	41.4	43.0	45.5	49.2	47.1	-
16:30	53.6	41.7	43.2	45.2	49.5	47.1	-
16:45	50.0	41.5	48.4	44.9	49.7	45.0	-
17:00	50.3	39.4	42.2	42.8	47.9	46.3	-
17:15	54.9	40.8	42.3	40.9	48.2	46.6	-
17:30	53.6	42.0	42.6	40.3	48.0	46.1	-
17:45	53.3	41.8	43.1	40.8	47.1	46.3	-
18:00	51.1	40.5	42.8	41.1	46.8	45.8	-
18:15	54.2	42.9	42.9	41.4	45.5	45.4	-
18:30	51.4	39.4	43.7	41.8	45.0	43.1	-
18:45	46.4	38.0	42.3	41.9	44.9	42.7	-
<b>L<sub>Aeq,10hour</sub></b>	<b>55.6</b>	<b>47.7</b>	<b>49.1</b>	<b>50.2</b>	<b>52.7</b>	<b>47.0</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>61.0</b>	<b>52.2</b>	<b>56.9</b>	<b>59.9</b>	<b>57.0</b>	<b>49.4</b>	<b>n/a</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# Appendix B

Automated Noise Monitoring Results  
Monitoring Station 2

# The Steadings, Cirencester

## Measurement Position 2

Week Commencing: 30 December 2024



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	30/12/2024	31/12/2024	01/01/2025	02/01/2025	03/01/2025	04/01/2025	05/01/2025
07:00	-	-	57.8	52.2	47.6	45.4	43.3
07:15	-	-	57.6	50.0	51.7	49.0	48.4
07:30	-	-	57.1	48.7	46.2	47.0	41.2
07:45	-	-	55.1	48.5	46.9	43.5	42.7
08:00	-	-	54.9	47.0	46.3	44.4	44.6
08:15	-	-	55.8	47.6	46.0	44.6	46.2
08:30	-	-	53.4	46.3	45.4	47.6	48.3
08:45	-	-	54.3	46.2	47.8	47.3	46.5
09:00	-	-	53.2	46.9	45.8	45.8	44.3
09:15	-	-	50.9	45.7	47.2	44.6	45.5
09:30	-	-	48.4	48.5	46.3	45.3	47.5
09:45	-	-	48.5	44.5	46.1	47.1	45.7
10:00	-	-	49.0	48.4	48.8	46.8	45.3
10:15	-	-	48.4	43.8	46.1	47.9	46.9
10:30	-	-	48.3	44.8	46.8	48.0	47.6
10:45	-	-	48.4	45.6	46.9	47.7	47.5
11:00	-	-	46.9	46.9	46.6	46.3	48.5
11:15	-	-	45.7	46.1	44.4	46.0	45.6
11:30	-	-	48.3	44.5	46.8	47.0	48.0
11:45	-	-	47.7	44.1	45.5	47.2	44.9
12:00	-	-	45.5	43.9	47.4	49.1	44.2
12:15	-	-	45.0	46.4	48.0	46.3	45.4
12:30	-	-	44.4	45.8	41.9	46.6	43.9
12:45	-	-	45.9	46.4	47.1	46.9	45.9
13:00	-	-	49.2	47.4	43.9	46.6	44.4
13:15	-	-	46.5	44.4	45.6	48.3	44.0
13:30	-	-	44.4	48.2	43.5	45.5	43.4
13:45	-	-	45.0	45.7	45.9	46.4	44.7
14:00	-	-	45.1	43.8	45.6	46.9	46.3
14:15	-	-	46.5	46.3	44.7	47.1	45.7
14:30	-	-	45.4	48.1	46.0	45.7	44.0
14:45	-	-	44.6	46.8	46.1	46.3	44.9
15:00	-	-	46.5	45.4	46.2	46.9	44.0
15:15	-	-	45.2	41.6	41.7	45.0	44.9
15:30	-	-	45.6	45.1	44.2	51.1	46.7
15:45	-	-	48.3	47.5	46.6	44.7	46.1
16:00	-	-	44.7	45.3	49.2	46.2	46.2
16:15	-	-	46.8	47.4	44.9	48.1	45.5
16:30	-	-	39.8	43.2	44.9	45.9	45.0
16:45	-	-	42.9	41.5	43.0	47.0	43.7
17:00	-	-	39.8	42.0	42.9	44.8	47.1
17:15	-	-	41.7	41.7	44.2	48.7	45.6
17:30	-	-	39.1	41.2	44.6	44.0	44.8
17:45	-	-	41.1	42.4	42.3	43.8	45.1
18:00	-	-	38.6	42.3	43.1	43.1	43.8
18:15	-	-	39.2	43.3	39.1	44.2	45.0
18:30	-	-	39.9	40.3	39.9	42.2	42.8
18:45	-	-	37.9	38.1	38.8	42.4	43.7
<b>L<sub>Aeq,10hour</sub></b>	-	-	<b>48.7</b>	<b>45.8</b>	<b>45.9</b>	<b>46.8</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	-	-	<b>55.8</b>	<b>48.5</b>	<b>49.2</b>	<b>51.1</b>	<b>48.5</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 2

Week Commencing: 06 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	06/01/2025	07/01/2025	08/01/2025	09/01/2025	10/01/2025	11/01/2025	12/01/2025
07:00	47.5	48.4	48.9	49.1	49.3	49.1	44.2
07:15	56.5	50.2	49.5	46.9	49.6	47.7	47.3
07:30	48.0	48.5	50.4	45.9	48.5	46.6	44.5
07:45	48.9	48.1	47.9	47.9	48.7	46.9	43.9
08:00	49.0	49.4	48.5	50.0	56.8	46.0	47.1
08:15	48.9	52.3	48.6	52.3	52.5	45.8	53.4
08:30	48.9	47.8	48.7	54.4	51.0	47.2	49.3
08:45	51.0	48.6	48.9	47.7	50.5	47.4	47.9
09:00	47.5	44.6	48.2	49.8	49.0	44.8	44.8
09:15	49.8	46.0	48.5	47.1	48.5	44.2	42.9
09:30	46.0	49.4	47.5	50.9	48.5	44.4	44.0
09:45	46.3	49.1	49.9	49.7	50.4	45.1	44.3
10:00	49.9	47.5	49.0	45.7	48.8	44.4	47.2
10:15	50.7	46.8	47.0	50.1	51.3	44.6	45.9
10:30	49.4	47.6	47.8	46.0	47.1	44.0	47.4
10:45	49.4	48.6	48.4	47.1	47.4	43.6	46.1
11:00	50.5	49.7	49.1	45.6	46.7	46.9	46.4
11:15	49.8	48.2	47.9	49.6	47.8	43.9	45.9
11:30	53.9	48.9	49.0	46.1	47.9	41.9	46.6
11:45	47.3	46.5	48.0	44.2	46.8	42.6	47.2
12:00	47.0	48.8	47.9	47.6	46.3	44.3	48.1
12:15	45.5	43.4	47.6	46.8	46.0	42.6	46.1
12:30	46.6	48.4	48.5	46.3	48.2	43.1	49.9
12:45	51.2	44.4	47.6	48.9	47.7	43.5	50.0
13:00	48.5	44.2	49.6	45.1	57.0	43.3	45.6
13:15	49.9	47.3	49.4	47.6	59.7	43.8	48.1
13:30	52.5	46.8	49.9	43.6	49.3	43.7	44.7
13:45	51.5	48.1	51.2	45.2	51.6	43.7	46.8
14:00	47.0	45.9	50.4	45.0	51.6	45.6	45.0
14:15	48.6	48.3	48.8	48.8	51.0	44.3	48.7
14:30	44.4	51.7	48.7	53.9	50.1	44.8	44.6
14:45	45.3	48.5	49.8	49.2	53.9	45.4	44.7
15:00	45.9	55.5	52.5	50.1	50.2	43.9	44.5
15:15	47.2	54.4	51.7	56.9	47.6	44.9	46.9
15:30	51.5	52.0	54.9	45.6	47.0	45.6	44.3
15:45	47.6	48.0	52.2	48.3	47.2	48.5	45.9
16:00	47.8	44.7	48.8	47.3	46.8	45.9	46.6
16:15	45.9	46.4	47.9	46.2	47.0	45.9	46.4
16:30	47.5	46.7	48.1	46.6	46.4	47.6	42.9
16:45	46.7	45.1	46.5	45.8	45.5	47.0	41.9
17:00	49.9	51.1	45.2	45.4	44.2	45.4	40.9
17:15	48.3	44.8	44.9	44.7	44.0	45.3	41.0
17:30	46.0	44.7	44.7	43.0	43.8	45.9	41.3
17:45	45.3	44.4	43.0	42.5	43.8	44.6	40.6
18:00	41.8	43.4	42.1	41.3	43.0	43.1	39.9
18:15	41.2	42.7	42.9	40.5	43.8	42.3	40.4
18:30	41.4	42.9	42.1	43.2	43.1	41.1	39.0
18:45	39.9	41.0	42.8	40.3	43.9	41.4	40.0
<b>L<sub>Aeq,10hour</sub></b>	<b>49.0</b>	<b>48.9</b>	<b>49.2</b>	<b>49.0</b>	<b>50.8</b>	<b>44.8</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>53.9</b>	<b>55.5</b>	<b>54.9</b>	<b>56.9</b>	<b>59.7</b>	<b>48.5</b>	<b>53.4</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 2

Week Commencing: 13 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	13/01/2025	14/01/2025	15/01/2025	16/01/2025	17/01/2025	18/01/2025	19/01/2025
07:00	49.4	50.4	50.1	48.6	58.2	48.8	46.3
07:15	47.9	49.1	49.7	47.5	47.5	47.2	48.4
07:30	47.2	50.1	47.2	46.7	47.2	46.1	45.7
07:45	48.1	50.1	47.7	47.0	47.2	44.9	45.6
08:00	50.0	51.9	48.6	48.6	50.0	46.8	44.0
08:15	48.9	52.6	47.5	47.6	49.9	45.6	45.1
08:30	51.1	53.0	52.0	48.9	49.7	41.1	44.9
08:45	52.2	52.2	50.7	49.5	54.0	44.0	46.7
09:00	52.0	51.7	51.7	49.1	51.1	45.0	45.1
09:15	53.3	52.4	51.0	48.6	50.1	44.1	44.0
09:30	52.2	52.5	47.9	50.4	52.4	43.2	46.9
09:45	50.8	53.3	47.1	48.8	49.1	44.8	43.5
10:00	52.3	46.5	46.9	51.2	48.6	44.9	45.1
10:15	52.5	50.5	50.8	45.6	48.2	45.9	44.4
10:30	52.5	52.7	50.9	51.6	50.0	45.1	43.0
10:45	53.9	52.2	52.8	52.2	48.5	46.9	46.4
11:00	56.4	52.5	52.2	53.9	50.6	45.1	41.3
11:15	53.2	51.9	52.3	51.7	50.4	45.5	47.3
11:30	52.5	56.1	51.3	48.7	52.6	42.7	44.1
11:45	49.2	51.6	49.7	48.6	43.0	49.1	44.2
12:00	52.1	49.7	50.8	49.7	45.4	45.3	43.8
12:15	53.9	50.2	50.6	47.8	49.4	45.1	44.4
12:30	53.1	50.0	49.7	49.5	52.1	46.3	43.3
12:45	51.5	51.0	52.8	50.2	54.4	46.3	45.8
13:00	48.0	46.3	51.7	48.6	46.6	44.6	45.4
13:15	47.6	47.4	51.1	50.9	50.3	44.8	40.8
13:30	49.3	52.2	50.4	53.8	46.9	45.9	43.1
13:45	47.5	49.0	49.7	49.6	51.4	45.6	44.3
14:00	50.0	48.8	53.9	50.4	51.3	39.0	46.5
14:15	50.7	49.2	54.1	49.0	50.7	44.8	43.4
14:30	51.6	48.6	54.5	48.5	49.6	42.7	41.0
14:45	49.9	51.9	54.5	48.2	55.0	45.8	42.1
15:00	47.8	51.7	49.9	50.3	54.0	44.1	41.6
15:15	49.8	49.1	53.5	47.7	50.0	44.4	43.4
15:30	47.6	49.6	47.8	49.0	48.0	45.0	42.5
15:45	48.0	48.1	49.0	48.2	47.4	40.4	42.4
16:00	46.9	48.6	50.2	48.7	45.0	44.5	43.2
16:15	46.5	45.8	47.7	45.8	46.6	45.2	44.6
16:30	47.8	46.4	54.0	47.3	45.9	46.3	48.8
16:45	43.9	45.0	54.9	45.4	50.0	43.2	41.3
17:00	43.1	41.8	42.5	41.5	39.5	41.2	38.2
17:15	42.8	44.6	42.6	41.6	38.6	37.3	34.5
17:30	42.5	40.3	42.5	41.3	38.5	37.0	34.9
17:45	40.6	39.5	40.7	40.1	37.7	36.6	36.6
18:00	45.1	38.8	40.0	40.3	37.3	36.8	36.1
18:15	40.1	39.3	38.7	40.8	37.3	37.0	36.0
18:30	40.2	37.2	37.4	38.7	37.6	36.2	34.5
18:45	40.4	37.2	36.4	38.3	37.3	37.0	34.5
<b>L<sub>Aeq,10hour</sub></b>	<b>50.8</b>	<b>50.6</b>	<b>51.1</b>	<b>49.3</b>	<b>50.0</b>	<b>45.4</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>56.4</b>	<b>56.1</b>	<b>54.9</b>	<b>53.9</b>	<b>55.0</b>	<b>49.1</b>	<b>48.8</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 2

Week Commencing: 20 January 2025



Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	20/01/2025	21/01/2025	22/01/2025	23/01/2025	24/01/2025	25/01/2025	26/01/2025
07:00	49.9	47.3	53.5	46.7	53.6	46.6	46.2
07:15	49.1	46.0	45.3	46.5	50.0	45.4	47.0
07:30	46.8	47.0	45.2	46.8	49.5	47.0	47.8
07:45	47.3	46.1	48.2	49.6	49.2	47.4	47.5
08:00	48.5	46.9	57.1	49.5	50.7	46.8	48.3
08:15	51.0	48.1	53.3	53.1	51.5	45.7	47.0
08:30	49.0	48.7	54.0	48.9	51.8	48.0	47.2
08:45	49.5	51.0	55.9	49.1	52.4	47.6	50.6
09:00	50.0	47.0	51.5	51.9	55.6	47.2	52.5
09:15	49.1	45.3	46.5	53.1	56.1	47.1	52.1
09:30	51.6	44.4	48.2	53.3	54.9	48.1	50.0
09:45	48.3	46.2	52.1	51.9	56.9	46.1	52.5
10:00	47.7	47.3	52.4	54.6	57.3	46.5	55.6
10:15	44.9	46.8	53.9	58.8	55.7	46.0	55.6
10:30	46.0	47.0	54.2	51.8	55.9	46.9	56.8
10:45	50.8	51.0	56.0	54.5	54.5	46.0	60.5
11:00	45.0	46.1	53.3	46.8	55.1	47.1	59.7
11:15	44.9	47.9	52.1	48.1	56.7	44.9	58.0
11:30	46.9	46.5	50.9	51.4	58.1	46.2	59.4
11:45	45.4	46.1	49.6	54.5	55.2	45.2	57.7
12:00	45.7	46.6	45.9	50.1	52.4	45.1	58.6
12:15	46.2	45.1	54.8	50.2	55.4	50.4	58.1
12:30	46.5	46.8	47.6	50.4	55.7	44.9	57.5
12:45	47.2	45.9	53.6	52.3	56.5	44.0	58.6
13:00	46.5	49.8	54.4	49.7	57.1	42.4	58.7
13:15	50.9	49.0	53.4	51.1	56.4	43.3	58.7
13:30	46.3	48.2	49.4	52.0	54.4	44.2	58.3
13:45	45.4	47.2	48.1	52.9	52.1	44.1	57.0
14:00	50.9	47.6	46.3	51.1	51.0	44.5	55.0
14:15	47.3	47.8	47.0	52.6	52.6	43.8	53.1
14:30	46.5	52.0	47.9	54.1	51.8	43.0	55.0
14:45	45.4	50.2	49.0	51.1	48.8	43.2	53.8
15:00	46.5	50.0	47.0	49.5	48.9	47.9	56.3
15:15	46.9	44.0	50.8	49.6	45.9	45.6	52.9
15:30	45.4	47.2	44.1	48.9	45.0	44.5	47.6
15:45	46.6	44.2	46.9	46.4	46.3	46.3	46.5
16:00	47.3	46.2	44.8	52.6	45.0	47.3	45.9
16:15	44.8	44.5	42.8	48.7	45.2	46.9	46.0
16:30	45.0	46.6	46.5	45.6	44.6	45.2	46.0
16:45	54.1	52.2	50.9	47.3	45.4	45.6	49.0
17:00	44.3	41.1	41.6	44.8	45.0	44.5	46.7
17:15	42.6	39.7	40.9	42.9	41.8	43.2	42.7
17:30	41.7	40.9	39.6	43.2	41.6	41.4	43.2
17:45	40.4	39.2	38.8	42.9	41.0	40.3	41.5
18:00	41.0	39.6	39.1	41.9	40.7	43.1	42.1
18:15	39.5	44.7	39.6	41.2	41.6	40.7	44.3
18:30	40.3	38.7	40.8	41.3	41.3	39.2	47.5
18:45	40.9	38.3	40.0	41.8	39.8	39.1	42.3
<b>L<sub>Aeq,10hour</sub></b>	<b>47.9</b>	<b>47.6</b>	<b>51.4</b>	<b>51.5</b>	<b>53.6</b>	<b>46.7</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>54.1</b>	<b>52.2</b>	<b>57.1</b>	<b>58.8</b>	<b>58.1</b>	<b>50.4</b>	<b>60.5</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)

# The Steadings, Cirencester

## Measurement Position 2

Week Commencing: 27 January 2025




Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	27/01/2025	28/01/2025	29/01/2025	30/01/2025	31/01/2025	01/02/2025	02/02/2025
07:00	49.1	50.9	49.1	46.4	45.1	39.9	-
07:15	48.0	48.8	47.2	45.8	47.1	38.8	-
07:30	49.4	49.3	50.3	45.8	48.8	41.4	-
07:45	54.9	51.1	49.0	52.6	51.0	45.7	-
08:00	53.7	59.6	49.6	54.2	49.7	41.5	-
08:15	52.9	53.4	51.5	53.1	53.4	43.1	-
08:30	52.8	49.9	49.6	53.2	55.5	42.6	-
08:45	51.8	51.1	49.0	49.9	54.2	43.2	-
09:00	51.3	49.6	49.0	48.9	54.1	45.9	-
09:15	50.6	52.2	48.9	48.3	47.9	43.3	-
09:30	50.3	50.6	54.8	46.6	49.3	42.9	-
09:45	51.9	48.7	49.9	47.5	48.4	42.9	-
10:00	54.3	50.4	50.3	47.1	47.2	43.2	-
10:15	59.4	48.8	50.0	52.0	45.6	44.5	-
10:30	63.1	48.5	47.1	46.8	46.2	43.5	-
10:45	59.6	50.6	50.1	46.0	49.1	43.9	-
11:00	60.0	49.2	50.3	45.6	48.8	43.9	-
11:15	57.2	48.2	51.1	47.2	47.1	42.9	-
11:30	54.7	49.8	52.5	48.3	50.0	46.5	-
11:45	53.1	48.6	48.1	47.4	49.5	43.5	-
12:00	53.3	49.7	51.7	47.8	46.6	46.8	-
12:15	53.8	49.9	49.0	47.5	45.8	43.2	-
12:30	56.1	47.9	52.1	49.4	49.3	44.4	-
12:45	56.0	51.0	52.1	49.1	48.5	41.3	-
13:00	56.1	47.2	49.6	45.2	45.9	44.5	-
13:15	53.7	46.3	45.6	47.1	50.4	44.6	-
13:30	58.8	53.0	46.8	49.8	48.8	47.5	-
13:45	58.7	52.3	49.5	45.8	46.6	40.9	-
14:00	51.4	45.9	50.5	44.1	46.9	41.1	-
14:15	50.8	45.6	50.2	46.7	45.7	41.9	-
14:30	50.0	44.9	51.5	42.6	44.7	41.9	-
14:45	57.8	44.8	48.3	45.7	46.0	41.5	-
15:00	53.1	46.3	46.4	48.3	44.3	41.0	-
15:15	48.3	46.4	45.5	48.7	44.3	41.9	-
15:30	48.9	50.6	45.6	42.8	42.4	42.6	-
15:45	51.0	46.2	46.8	44.3	44.7	42.1	-
16:00	51.2	47.6	46.5	43.1	42.7	42.1	-
16:15	48.1	46.6	45.5	45.0	58.9	42.8	-
16:30	48.6	47.9	45.0	50.1	45.8	42.6	-
16:45	50.8	47.1	46.2	45.3	43.7	41.5	-
17:00	58.0	44.4	48.2	43.1	44.1	41.5	-
17:15	51.9	44.1	45.0	41.3	41.0	41.0	-
17:30	49.1	47.1	44.0	43.3	40.2	42.5	-
17:45	47.7	44.8	43.3	41.6	41.7	41.1	-
18:00	50.6	43.7	43.2	43.1	40.6	40.9	-
18:15	50.9	41.6	43.0	45.0	39.6	39.9	-
18:30	52.6	41.5	42.0	41.7	39.2	40.0	-
18:45	53.4	40.9	41.8	41.7	39.7	40.6	-
<b>L<sub>Aeq,10hour</sub></b>	<b>55.3</b>	<b>50.1</b>	<b>49.4</b>	<b>48.1</b>	<b>49.6</b>	<b>43.9</b>	<b>n/a</b>
<b>Worst Case L<sub>Aeq,15mins</sub></b>	<b>63.1</b>	<b>59.6</b>	<b>54.8</b>	<b>54.2</b>	<b>58.9</b>	<b>47.5</b>	<b>n/a</b>

**Notes:**

L<sub>Aeq,10hour</sub> Represents Energy Equivalent Level Between Weekday Permitted Hours of 08.00 to 18.00 hours

Worst case L<sub>Aeq,15mins</sub> Represents Highest Value During Permitted Hours of 08.00 to 18.00 hours (weekdays & Sunday) & 08.00 to 12.30 hours (Saturday)



[www.quantummonitoring.co.uk](http://www.quantummonitoring.co.uk)

+44 (0)203 376 7000

[hello@quantumacoustics.co.uk](mailto:hello@quantumacoustics.co.uk)

London Office: 151 Wardour Street, London, WC1F 8WE

Southern Office: Ash House, Tanshire Park, Elstead Surrey, GU8 6LB